



**Pesées de roue**  
**Wheel weights**




# FORCE DE VENTE

35+ REPRÉSENTANTS



SALES FORCE  
35+ REPRESENTATIVES



Membre  
Member

ENTREPRISE DE  
**CHEZ NOUS**

WE ARE  
**LOCAL**



05-2024

**PESÉES DE ROUES / WHEEL WEIGHTS**

**Série WRP**  
**Non Plastifiées**

pour la majorité des roues d'acier de 13" et 15"



TYPE	NUMÉRO FASBEC	POIDS		BTE
WRP	1276	0.25	OZ	100
WRP	1277	0.50	OZ	100
WRP	1278	0.75	OZ	100
WRP	1279	1.00	OZ	100
WRP	1280	1.25	OZ	100
WRP	1281	1.50	OZ	100
WRP	1282	1.75	OZ	50
WRP	1283	2.00	OZ	50
WRP	1284	2.25	OZ	50
WRP	1285	2.50	OZ	50
WRP	1286	2.75	OZ	50
WRP	1287	3.00	OZ	50
WRP	1288	3.25	OZ	25
WRP	1289	3.50	OZ	25
WRP	1290	4.00	OZ	25

**Série TS**  
**Plastifiées**

pour roues d'alliage MAG



CHEVROLET, FORD, DODGE  
Pour camion léger,  
camionnette & mini-Van

TYPE	NUMÉRO FASBEC	POIDS		BTE
TS	2318	0.50	OZ	25
TS	2319	0.75	OZ	25
TS	2320	1.00	OZ	25
TS	2321	1.25	OZ	25
TS	2322	1.50	OZ	25
TS	2324	1.75	OZ	25
TS	2325	2.00	OZ	25
TS	2326	2.25	OZ	25
TS	2327	2.50	OZ	25
TS	2328	2.75	OZ	25
TS	2329	3.00	OZ	25

**Série LH**

**Plastifiées**

pour roues d'alliage MAG



CHRYSLER 1998:  
CONCORD, LHS, TOWN & COUNTRY,  
INTREPID, CARAVAN, VOYAGER, 300M

TYPE	NUMÉRO FASBEC	POIDS		BTE
LH	2304	0.25	OZ	25
LH	2305	0.50	OZ	25
LH	2306	0.75	OZ	25
LH	2307	1.00	OZ	25
LH	2308	1.25	OZ	25
LH	2309	1.50	OZ	25
LH	2310	1.75	OZ	25
LH	2312	2.00	OZ	25
LH	2313	2.25	OZ	25
LH	2314	2.50	OZ	25
LH	2315	2.75	OZ	25
LH	2316	3.00	OZ	25

REV.0303



**PESÉES DE ROUES / WHEEL WEIGHTS  
POUR VOITURE G.M., FORD, CHRYSLER**

**Série AWC**  
**Plastifiées**  
**pour roues d'alliage MAG**

*Pour G.M., FORD, CHRYSLER  
de 1980 à 1991*



TYPE	NUMÉRO FASBEC	POIDS		BTE
AWC	5507	0.25	OZ	50
AWC	5508	0.50	OZ	50
AWC	5509	0.75	OZ	50
AWC	5510	1.00	OZ	50
AWC	5511	1.25	OZ	50
AWC	5512	1.50	OZ	50
AWC	5513	1.75	OZ	50
AWC	5514	2.00	OZ	50
AWC	5515	2.25	OZ	50
AWC	5516	2.50	OZ	50
AWC	5518	3.00	OZ	50

**Série AW**  
**Non plastifiées**  
**pour roues d'acier**

*Pour G.M., FORD, CHRYSLER  
de 1980 à 1991*



TYPE	NUMÉRO FASBEC	POIDS		BTE
A W	5500	0.25	OZ	50
A W	1320	0.50	OZ	50
A W	5501	0.75	OZ	50
A W	1321	1.00	OZ	50
A W	5502	1.25	OZ	50
A W	1322	1.50	OZ	50
A W	5503	1.75	OZ	50
A W	1323	2.00	OZ	50
A W	5504	2.25	OZ	50
A W	1324	2.50	OZ	50
A W	5506	3.00	OZ	50

**Série MCC**  
**Plastifiées**  
**pour roues d'alliage MAG**

*GM, FORD, CHRYSLER  
de 1990 et plus*



TYPE	NUMÉRO FASBEC	POIDS		BTE
MCC	2578	0.25	OZ	25
MCC	2579	0.50	OZ	25
MCC	2580	0.75	OZ	25
MCC	2581	1.00	OZ	25
MCC	2582	1.25	OZ	25
MCC	2583	1.50	OZ	25
MCC	2584	1.75	OZ	25
MCC	2585	2.00	OZ	25
MCC	2586	2.25	OZ	25

## PESÉES DE ROUES / WHEEL WEIGHTS POUR VOITURES EUROPÉENNES & IMPORTÉES

### Série IAW Plastifiées pour roues d'alliage MAG



*Pour Européen et Importés  
BMW, AUDI, SUBARU, VOLKSWAGEN, GÉO,  
VOLVO, MERCEDES, SUZUKI, CATERA, JAGUAR*

TYPE FASBEC	NUMÉRO	POIDS	BTE
IAW	1796	5 GR.	25
IAW	3030	10 GR.	25
IAW	3031	15 GR.	25
IAW	3032	20 GR.	25
IAW	3033	25 GR.	25
IAW	3034	30 GR.	25
IAW	3035	35 GR.	25
IAW	3036	40 GR.	25
IAW	3037	45 GR.	25
IAW	3038	50 GR.	25
IAW	3039	55 GR.	25

### Série FN Plastifiées pour roues d'alliage MAG



*Pour NISSAN, TOYOTA, HONDA  
de 1990 et plus*


TYPE	NUMÉRO FASBEC	POIDS	BTE
FN	2816	10GR.	25
FN	2817	15GR.	25
FN	2818	20GR.	25
FN	2819	25GR.	25
FN	2820	30GR.	25
FN	2821	35GR.	25
FN	2822	40GR.	25

### Série ENC Plastifiées pour roues d'alliage MAG



*Pour ACURA & TOYOTA, de 1980-1990  
MERCEDES tous les models*

TYPE	NUMÉRO FASBEC	POIDS	BTE
ENC	2330	5 GR.	25
ENC	2331	10 GR.	25
ENC	2332	15 GR.	25
ENC	2333	20 GR.	25
ENC	2334	25 GR.	25
ENC	2335	30 GR.	25
ENC	2336	35 GR.	25
ENC	2337	40 GR.	25
ENC	2338	45 GR.	25
ENC	2339	50 GR.	25
ENC	2340	55 GR.	25
ENC	2341	60 GR.	25





### SCÉLLANT POUR RÉPARATION DE PNEU LIQUID PATCH TIRE REPAIR

Nouveau concept révolutionnaire pour la réparation des pneus. Créé une réparation permanente flexible sur la paroi intérieure du pneu. Aucun sablage requis

- réparation supérieure
- facile à utiliser
- permanent, simple et versatile



**ÉCONOMIQUE - RÉDUIT LA MAIN D'ŒUVRE ET LES INVENTAIRES**

# LPC



### POUR RÉPARATION DE CREVAISON

ASSORTIMENT STANDARD POUR AUTOMOBILE

L'ensemble comprend:  
60 mèches 4" (10cm)  
un outil d'insertion  
un lubrifiant  
une aiguille de surplus




# SSKA

ASSORTIMENT STANDARD POUR CAMION

# SSKT

L'ensemble comprend:  
30 mèches 8" (20cm)  
un outil d'insertion  
un lubrifiant  
une aiguille de surplus



RECHANGE / REFILL

MÈCHES DE RECHANGE "STANDARD" pour AUTOMOBILE

#SSRA BTE de 60 mèches 4" (10cm)



MÈCHES DE RECHANGE "MINCE 1/8 (3.2mm)" Pour AUTOMOBILE

#SSRS BTE de 60 mèches 4" (10cm)



MÈCHES DE RECHANGE pour CAMION / Agricole et industriel


#SSRT BTE de 30 mèches 8" (20cm)





## BOUCHONS DE VIDANGE D'HUILE / OIL DRAIN PLUGS

#5078



Zinc

Thread: M12-1.75  
Hex: 15mm  
Length Under Head: 26mm

Fits the following M12-1.75 applications:

**AMC**

4 Cyl. 151 Eng. 83-81

**Bulck**

4 Cyl. 151 (2.5) Eng. 80-On

6 Cyl. 3.0, 4.3 (Diesel) Eng. 82-On

8 Cyl. 4.3, 4.9 Eng. 81-77

**Cadillac**

8 Cyl. 4.1 Eng. 82-On

**Chevrolet**

4 Cyl. 151 (2.5) Eng. 78-On

6 Cyl. 4.3 (Diesel) Eng. 82-On

**Oldsmobile**

4 Cyl. 151 (2.5) Eng. 78-On

6 Cyl. 3.0, 4.3 (Diesel) Eng. 82-On

8 Cyl. 4.3S, 4.9T (301) Eng. 80-79

**Pontiac**


4 Cyl. 151 (2.5) Eng. 77-On

6 Cyl. 4.3 (Diesel) Eng. 82-On

8 Cyl. 4.3S, 4.9T (301) Eng. 81-77

UNIT PACKAGE: 5

#5686



Plain

Thread M14-1.5  
Hex 16mm  
Length Under Head: 20mm  
Fits the following M14-1.5 applications:

**AMC**

4 Cyl. VW 121 Eng. 79-77

**Chevrolet**

4 Cyl. 1.8 (Diesel) Eng. 81-On

**Chrysler Corp (Exc. Imports)**

4 Cyl. All 78-On

**Chrysler Corp. Imports**

4 Cyl. All 83-On

4 Cyl. K & W Engines (built after 10-81) 82

**Ford Motor Co.**

4 & 6 Cyl. 98, 122, 140, 171 Eng. 73-On

**Honda**

4 Cyl. Prelude 83-On

**Mazda**

4 Cyl. All 72-On

**Pontiac**

4 Cyl. 1.8 (Diesel) 83-On

**Volkswagen**

4 Cyl. All (Water Cooled Engine) 74-On

UNIT PACKAGE: 5

#5079A



Plain

Thread: 1/2"-20  
Hex: 7/8"  
Length Under Head: 1/2"

Fits the following 1/2"-20 applications:

**AMC**

6 & 8 Cyl. All 64-On

**Bulck**

4, 6 & 8 Cyl. All [Exc. 2.5 (151), 3.0, 4.3, 4.9 (301 Eng.)] 59-On

**Cadillac**

6 & 8 Cyl. All (Exc. 4.1 Eng) 66-On

**Chevrolet (Includes Light Truck)**

4, 6 & 8 Cyl. All [Exc. 1.8 (diesel), 2.5 (151), 4.3 (diesel) Eng.] 28-On

**Chrysler Corp.**

6 & 8 Cyl. All 62-On

**Ford Motor Co.**

4, 6 & 8 Cyl. All (Exc. 98, 122, 140, 171 Eng) 57-On

**GMC (Light Truck)**

6 & 8 Cyl. All 39-On

**Oldsmobile**

4, 6 & 8 Cyl. All [Exc. 2.5 (151), 3.0, 4.3, (diesel), 4.3S, 4.9T (301)] 61-On

**Pontiac**

4, 6, & 8 Cyl. All [Exc. 1.8 (diesel), 2.5 (151), 4.3 (diesel), 4.3S, 4.9T (301)] 60-On

UNIT PACKAGE: 5

#6077

Zinc

Thread: M14-1.5  
Hex: 16mm  
Length Under Head: 11mm  
Fits The Following M14-1.5 Applications:

**Chrysler** Imports 83-On

**Honda** 83-On

**Isuzu** 87-On

**Mazda** 72-On

**Spectrum** 88-On

**Sprint** 88-On

**VW-Audi** 74-On

UNIT PACKAGE: 5



Thread: 1/2"-20  
Hex: 9/16"  
Length Under Head: 13/16"

#5079

**Bulck**

4, 6 & 8 Cyl. All [Exc. 2.5(151)] 3.0, 4.3, 4.9 (301 Eng.) 59-On

**Cadillac**

6 & 8 Cyl. All (Exc. 4.1 Eng) 66-On

**Chevrolet (Includes GMC Light Truck)**

4, 6 & 8 Cyl. All [Exc. 1.8 (diesel); 2/5 (151), 4.3 (diesel) Eng.] 28-On

**Oldsmobile**

4, 6 & 8 Cyl. All [Exc. 1.8 (diesel), 2.5 (151), 3.0, 4.3, (diesel), 4.3S, 4.9T (301) 61-On

**Pontiac**











4, 6 & 8 Cyl. All [Exc. 1.8 (diesel), 2.5 (151), 4.3 (diesel), 4.3S, 4.9T (301)] 60-On

UNIT PACKAGE: 5





## BOUCHONS DE VIDANGE D'HUILE / OIL DRAIN PLUGS

<p><b>#5077</b></p>  <p>Zinc</p> <p>Thread M12-1.25 Hex: 14mm Length Under Head: 11mm Fits the Following M12-1.25 applications:</p> <p><b>Nissan</b> Sentra, Stanza &amp; Pulsar w/ FWD 82-On</p> <p>UNIT PACKAGE: 2</p>	<p><b>#6302</b></p>  <p>Zinc</p> <p>Thread M16.4-1.33 O.S. Hex 19mm Length Under Head: 13mm Fits the Following M16.4 O.S. applications:</p> <p><b>Nissan:</b> All (Exc. Sentra, Stanza &amp; Pulsar w/FWD 62-On</p> <p><b>Renault:</b> Fuego &amp; LeCar 80-On</p> <p>UNIT PACKAGE: 2</p>	<p><b>#6306</b></p>  <p>Zinc</p> <p>Thread: M18-1.5 Hex: 19mm Length Under Head: 12mm Fits the Following M18-1.5 applications</p> <p><b>Chrysler:</b> All imports 70-On</p> <p><b>Renault:</b> LeCar 79-76</p> <p><b>Toyota:</b> All 75-On</p> <p>UNIT PACKAGE: 2</p>	<p><b>#6304</b></p>  <p>Plain</p> <p>Thread: M20-1.5 Hex: 15mm Length Under Head: 21mm Fits the Following M20-1.5 applications:</p> <p><b>Chevrolet Truck:</b> Luv 82-75</p> <p><b>Honda:</b> All exc. Prelude 73-On</p> <p><b>Subaru:</b> All 79-On</p> <p>UNIT PACKAGE: 1</p>
<p><b>#6201</b></p>  <p>(948187-0) Zinc</p> <p>Thread: 3/4"-16 Hex: 1" Length Under Head: 1/2" Fits the following applications: <b>Volvo:</b> 4 Cyl.</p> <p>UNIT PACKAGE: 2</p>	<p><b>#6203</b></p>  <p>(21006725) Black Zinc</p> <p>Thread: M12-1.75 Hex: 14mm Length Under Head: 19mm Fits the following application: <b>GM:</b> Saturn Utiliser joint</p> <p>UNIT PACKAGE: 2 #6254</p>	<p><b>#6205</b></p>  <p>Zinc</p> <p>Thread: M14-1.25 Hex: 13mm Length Under Head: 16mm Fits the following applications <b>Jeep</b></p> <p>UNIT PACKAGE: 2</p>	
<p><b>#6202</b></p>  <p>Zinc</p> <p>Thread: M14-1.5 Hex 13mm Length Under Head: 16mm Fits the following applications: <b>Ford:</b> Escort</p> <p>UNIT PACKAGE: 2</p>	<p><b>#6204</b></p>  <p>(601-997-02-30) Zinc</p> <p>Thread: M14-1.5 Hex: 13mm Length Under Head: 24mm Fits the following applications: <b>Mercedes:</b> 300 Series</p> <p>UNIT PACKAGE: 2</p>	<p><b>#6206</b></p>  <p>Zinc</p> <p>Thread: M25-1.5 Hex: 24mm Length Under Head: 13mm Fits the following applications <b>Toyota</b></p> <p>UNIT PACKAGE: 1</p>	





## BOUCHONS DE VIDANGE D'HUILE AVEC JOINT / OIL DRAIN PLUGS WITH GASKET



#6135

Plain With Rubber  
Washer Face Gasket

Thread: M14-1.50

Hex: 13mm

Length Under Head: 20mm

Fits the following application  
Chrysler 2.0, 2.4, 2.7 & 3.5 Eng.  
2001 - 2000

UNIT PACKAGE: 2



#6208

(3536964)  
BlackThread: M12-1.75; Hex: 15mm  
Length Under The Head: 25mm  
Washer Head O.D.: 26mmFits the following applications:  
GM 2.2 (4), 3.1 (M), 3.8 (K), 3.8 (1),  
& 2.3 Eng. 1992-On

UNIT PACKAGE: 2

Utiliser joint #3953

#6207

(6034376)  
PlainThread: 1/2"-20; Hex: 5/8"  
Length Under Head: 13/16"  
Fits the following applications:  
Chrysler

UNIT PACKAGE: 2

#6209

Plain

Thread: M12-1.75; Hex: 15mm

Length Under Head: 21mm

Fits the following applicatons:  
Ford 2.5, 3.0 & 4.6 Eng.  
With Modular & Aluminum Pans

UNIT PACKAGE: 2

Utiliser joint #3953

#6212

(6504018)  
Plain

Thread: M14-1.50

Hex: 13mm

Length Under Head: 11mm

Fits the following applications:  
Chrysler 2.0, 2.4, 2.7, 3.2, 3.7, & 4.7  
Eng.

UNIT PACKAGE: 2

#6213

(6503433)  
Plain

Thread: M14-1.50

Hex: 17mm

Length Under Head: 18mm

Fits the following applications:  
Chrysler 1.5 & 2.0 Eng.

UNIT PACKAGE: 2

#6210

(3538469)  
BlackThread M12-1.75; Hex: 15mm  
Length Under Head: 25mm  
Washer Head O.D.: 31mmFits the following applications:  
GM 4.9 Eng. 1985-On

UNIT PACKAGE: 2

(Jeep: 83504041;  
Lexus: 90341-10006,  
90341-10012)  
Zinc & YellowThread: M10-1.5; Hex: 14mm  
Length Under Head: 9mm  
Fits the following applications:  
Jeep Cherokee, Comanche & XJ 1991-On  
Lexus GS300, LS400 & SC400 1991-On

UNIT PACKAGE: 2

#6219



#6137

(F75Z-6730-BA)  
Phosphate

Thread: M14-1.5

Hex: 16mm

Length Under Head: 20mm  
Fits the following applications:Ford Vans & Trucks  
With 6.8L Eng.  
2000 - 96







UNIT PACKAGE: 1


#6214

(F6TZ-6730BA)  
PhosphateThread M14-1.50; Hex: 13mm  
Length Under Head: 20mm  
Fits the following applications:  
Ford Aerostar, Explorer & Range  
6 Cyl. 4 Ltr. Eng.  
1996-On  
UNIT PACKAGE: 2



**BOUCHONS DE VIDANGES D'HUILE / OIL DRAIN PLUGS**

 <p><b>#6127</b></p> <p>Zinc Thread: M12-1.25 Hex: 14mm Length Under Head: 17mm Fits The following applications: <b>Nissan</b> UNIT PACKAGE: 5</p>	 <p><b>#6128</b></p> <p>Zinc Thread: M12-1.25 Single Oversize Hex: 19mm Length Under Head: 18mm Universal Applications UNIT PACKAGE: 5</p>	 <p><b>#6131</b></p> <p>Zinc Thread: M12-1.75 Single Oversize Hex: 19mm Length Under Head: 18mm Universal Applications UNIT PACKAGE: 5</p>
 <p><b>#6132</b></p> <p>Zinc Thread: M12-1.75 Single Oversize Hex: 19mm Length Under Head: 18mm Universal Applications UNIT PACKAGE: 5</p>	 <p><b>#6134</b></p> <p>Zinc Thread: M14-1.50 Single Oversize Hex: 17mm Length Under Head: 17mm Universal Applications UNIT PACKAGE: 5</p>	 <p><b>Oversize "Piggy-Back" Drain Plugs with Gasket</b></p> <p><b>#220-107</b> 1/2"-20 Single Oversize ZINC BTE: 1</p> <p><b>#220-108</b> 1/2"-20 Double Oversize ZINC &amp; JAUNE BTE: 1</p>

NUMÉRO	DIMENSION		FINI	BTE	<p><b>UNIVERSEL</b></p> 
5079A	1/2" - 20	Standard	ZINC	10	
5081	1/2" - 20	Single Oversize	ZINC	5	
5082	1/2"-20	Double Oversize	ZINC	5	
5083	1/2"-20	Triple Oversize	ZINC	5	
8285	5/8"-18	Single Oversize	ZINC	5	
8286	11/16" - 20	Single Oversize	ZINC	5	
8288	3/4" - 16	Single Oversize	ZINC	5	
8289	7/8" - 14	Single Oversize	ZINC	5	




## BOUCHONS DE VIDANGES / DRAIN PLUGS

## MAGNÉTIQUE / MAGNETIC



TYPE 1



TYPE 2



TYPE 3

NUMÉRO	TYPE	DIMENSION TÊTE	HEX	LONGUEUR	MATÉRIAUX	BTE
6215	3	1/2" - 20	3/4"	43/64"	ZINC	1
6216	1	1/2" - 20 Single Oversize	3/4"	13/16"	ZINC	1
6217	1	1/2" - 20 Double Oversize	3/4"	13/16"	ZINC & YELLOW	1
6218	1	1/2" - 20 Triple Oversize	3/4"	13/16"	BLACK ZINC	1
6125	3	5/8" - 18 UNF2A	7/8"	25/32"	ACIER	1
6126	3	3/4" - 16 UNF2A	15/16"	59/64"	ACIER	1
6220	2	12mm - 1.75	13mm	19mm	ZINC	1



**#6300**  
11.8mm x 1.25mm  
NISSAN, TOYOTA  
BTE: 2




**#6501**  
12mm x 1.5mm  
VOLKSWAGON  
BTE: 2



**#6119**  
12mm x 1.5mm  
BMW  
BTE: 2

JOINTS DE VIDANGES D'HUILE - ÉCRASANT / OIL DRAIN PLUG CRUSHABLE GASKETS

NUMÉRO	ID	OD	ÉPAISSEUR	MATÉRIAUX	BTE
6252	1/2"	3/4"	5/64"	Cuivre	10
6253	12mm	17mm	2mm	Acier	15
25611	12mm	18mm	2mm	Cuivre	25
6254	14mm	19mm	2mm	Acier	10
25613	14mm	20mm	2mm	Cuivre	25
25615	16mm	22mm	2mm	Cuivre	25
25617	18mm	24mm	2mm	Cuivre	25
25619	20mm	26mm	2mm	Cuivre	25

JOINTS DE VIDANGES D'HUILE - ACIER & CAOUTCHOUC / STEEL & RUBBER OIL DRAIN PLUG GASKETS

NUMÉRO	ID	OD	ÉPAISSEUR	MATÉRIEL	BTE
3952	14mm	25mm	1m	Acier / caoutchouc	25
6221	16mm	24mm	2mm	Acier / caoutchouc	10
6222	18mm	27mm	2mm	Acier / caoutchouc	10





## JOINTS DE VIDANGES D'HUILE / OIL DRAIN PLUG GASKETS

NUMÉRO	ID	OD	ÉPAISSEUR	MATÉRIEL	BTE	APPLICATION
6241	1/2	3/4	5/64	Fibre Noir	50	UNIVERSEL
1510	1/2	3/4	3/32	Nylon	25	UNIVERSEL
6223	1/2	3/4	1/16	Cuivre	25	UNIVERSEL
6152	1/2	7/8	1/16	Aluminium	25	UNIVERSEL
6224	1/2	15/16	1/16	Nylon	25	UNIVERSEL
1511	1/2	15/16	5/64	Fibre	50	UNIVERSEL
6225	9/16	13/16	5/64	Fibre Noir	50	UNIVERSEL
8281	9/16	13/16	3/32	Nylon	25	UNIVERSEL
6326	9/16	13/16	3/32	Cuivre	25	UNIVERSEL
8278	5/8	1	3/32	Nylon	25	UNIVERSEL
6227	3/4	1	1/16	Cuivre	25	UNIVERSEL
8279	3/4	1-1/16	3/32	Nylon	25	UNIVERSEL
8280	7/8	1-1/8	3/32	Nylon	25	UNIVERSEL
6301	11.8mm	22mm	1.5mm	Nylon	50	UNIVERSEL
4248	12mm	18mm	1.5mm	Cuivre	50	<b>NISSAN OEM</b>
6228	12mm	22mm	1.8mm	Acier Teflon	5	UNIVERSEL
6139	12mm	22mm	1.5mm	Cuivre	15	<b>BMW</b>
6298	12mm	22mm	1.5mm	Nylon	50	<b>TOYOTA</b>
6140	12mm	22mm	1.5mm	aluminium	50	UNIVERSEL
1505	12mm	22mm	2.0mm	Fibre Noir	50	<b>TOYOTA OEM</b>
25586	14mm	20mm	1.5mm	Cuivre	25	<b>VOLKSWAGON OEM</b>
6141	14mm	20mm	1.0mm	Aluminium	50	UNIVERSEL
6142	14mm	22mm	1.5mm	Cuivre	15	UNIVERSEL
4246	14mm	22mm	2.0mm	Aluminium	50	<b>HONDA OEM</b>
6229	14mm	24mm	1.5mm	Fibre Verte	25	UNIVERSEL
6297	14mm	24mm	1.5mm	Nylon	50	<b>VOLKSWAGON</b>
6230	14mm	24mm	2.0mm	Fibre Noir	50	UNIVERSEL
6143	16mm	27mm	1.5mm	Cuivre	10	UNIVERSEL
6144	16mm	27mm	2.0mm	Fibre Noir	50	UNIVERSEL
6147	16.4mm	27mm	2.0mm	Fibre Noir	50	UNIVERSEL
6303	16.5mm	27mm	1.5mm	Nylon	50	UNIVERSEL
25592	18mm	24mm	1.5mm	Cuivre	25	<b>MAZDA-MERCEDES</b>
4247	18mm	25.5mm	2.0mm	Aluminium	50	<b>HONDA OEM</b>
1506	18mm	28mm	2.0mm	Fibre Verte	50	<b>TOYOTA OEM</b>
6307	18mm	29mm	1.5mm	Nylon	50	UNIVERSEL
6231	18mm	29mm	1.5mm	Fibre Verte	25	UNIVERSEL
6150	18mm	29mm	1.5mm	Cuivre	10	UNIVERSEL
6232	20mm	26mm	2.0mm	Acier Teflon	10	UNIVERSEL
6305	20mm	28mm	1.5mm	Nylon	50	UNIVERSEL
6233	20mm	28mm	1.5mm	Fibre Verte	25	UNIVERSEL
6151	20mm	28mm	1.6mm	Cuivre	10	UNIVERSEL
6234	25.5mm	35mm	2.0mm	Fibre Noir	50	UNIVERSEL



#3950

(14090908)

Zinc &amp; Yellow Dichromate

Oil Drain Plug Gasket

Steel w/Rubber Seal

I.D.: 1/2" (12mm)

O.D.: 1" (25mm)

GM 1982-On

UNIT PACKAGE: 50

Utiliser avec bouchon  
#6203

#6257

Oil Drain Plug

Rubber Gasket

I.D.: 11mm

O.D.: 25mm

Replacement Gasket

SATURN

GM 12mm-1.75

Oil Drain Plugs

UNIT PACKAGE: 10

Utiliser avec bouchon  
#6208 & #6210

#3953

I.D.: 11mm

O.D.: 21mm

Replacement Gasket

For GM 12mm-1.75


Oil Drain Plugs

PRD #6209

UNIT PACKAGE: 10



## BOUCHONS MAGNÉTIQUES / PIPE THREAD MAGNETIC PLUGS




Magnet removes from circulating oil or hydraulic fluid ferrous particles which might cause damage to the motor or product.

## Typical applications:

- cars and trucks
- commercial and military aircraft
- aircraft accessory drives
- road machinery
- farm machinery
- stationary engines
- marine motor & equipment
- hydraulic systems
- industrial machinery and other systems
- air conditioning and refrigeration equipment
- printing presses
- coal loaders
- pumps
- speed reducers
- gear boxes
- compressors
- hoists
- mining machinery
- oil well equipment and many other products



Removed for Inspection and Cleaning



## TÊTE CARRÉE / SQUARE HEAD

NUMÉRO	DIMENSION	STYLE	A	B	C	D	E	MATÉRIAUX	BTE
6101	1/8" - 27 NPTF	BAR	.94	.38	.32	.27	.24	ACIER	1
6102	1/4" - 18 NPTF	BAR	.96	.45	.23	.37	.28	ACIER	1
6103	3/8" - 18 NPTF	BAR	1.05	.50	.23	.44	.31	ACIER	1
6104	3/8" - 18 NPTF	DISC	.80	.47	-	.43	.34	ACIER	1
6105	1/2" - 14 NPTF	DISC	.96	.57	-	.56	.38	ACIER	1
6106	3/4" - 14 PTF	DISC	1.11	.62	-	.62	.45	ACIER	1
6108	1"-11-1/2 NPTF	DISC	1.52	.75	-	.81	.52	FER MALL.	1
6109	1-1/4"-11-1/2 NPTF	DISC	1.37	.81	-	.94	.56	FER CAST.	1
6110	1-1/2"-11-1/2 NPTF	BAR	1.85	.97	.25	1.12	.62	FER CAST.	1
6111	2"-11-1/2 NPTF	BAR	1.81	.88	.25	1.37	.68	FER CAST.	1

## HEXAGONE RETRAIT / HEX RECESSED



NUMÉRO	DIMENSION	STYLE	A	B	C	D	E	MATÉRIAUX	BTE
6113	1/8" - 27 NPTF	BAR	.79	.42	.42	.19	.12	ACIER	1
6114	1/4" - 18 NPTF	BAR	.84	.46	.38	.25	.19	ACIER	1
6115	3/8" - 18 NPTF	BAR	.82	.46	.36	.31	.19	ACIER	1
6116	3/8" - 18 NPTF	DISC	.52	.46	.36	.31	.19	ACIER	1
6117	1/2" - 14 NPTF	BAR	1.00	.61	.37	.38	.25	ACIER	1
6121	1/2" - 14 NPTF	DISC	.61	.61	-	.38	.25	ACIER	1
6122	3/4" - 14 NPTF	BAR	.84	.62	.19	.56	.31	ACIER	1

## CARRÉ RETRAIT / SQUARE RECESSED

NUMÉRO	DIMENSION	STYLE	A	B	C	D	E	MATÉRIAUX	BTE
6123	1/2" - 14 NPTF	DISC	.82	.63	-	.38	.25	ACIER	1
6124	3/4" - 14 NPTF	DISC	.62	.62	-	.51	.31	ACIER	1

# ASSORTIMENT DE BOUCHONS ET JOINTS POUR VIDANGES D'HUILE

ASF-2047PL

 <p>Bouchon / Plug #5686 M14-1.5 Joint nylon / Gasket #6297 Chrysler, Ford, GM</p>	 <p>Bouchon / Plug #5079 1/2"-20 Joint nylon / Gasket #1510 GM</p>	 <p>Bouchon / Plug #5078 M12-1.75 Joint nylon / Gasket #6298 GM</p>	 <p>Bouchon / Plug #5079A 1/2"-20 Joint nylon / Gasket #1510 Chrysler, Ford, GM</p>	 <p>Bouchon / Plug #6300 M11.8-1.25 Joint nylon / Gasket #6301 Nissan, Toyota</p>	 <p>Bouchon / Plug #6302 M16.4-1.33 Joint nylon / Gasket #6303 Nissan</p>
 <p>Bouchon / Plug #6304 M20-1.5 Joint nylon / Gasket #6305 Honda, Subaru</p>	 <p>Bouchon / Plug #6306 M18-1.5 Joint nylon / Gasket #6307 Toyota, Chrysler</p>	 <p>Bouchon / Plug #6077 M14-1.5 Joint aluminium / Gasket #4246 Honda, Isuzu, Mazda</p>	 <p>Bouchon / Plug #5077 M12-1.25 Joint cuivre / Gasket #4248 Nissan</p>	 <p>Bouchon / Plug #6501 M14-1.5 Joint cuivre / Gasket #25586 Volkswagon</p>	 <p>Bouchon / Plug #6205 M14-1.25 Joint nylon / Gasket #6297 Jeep</p>
 <p>Bouchon / Plug #6203 M12-1.75 Joint caoutchouc / Gasket #6257 Saturn</p>	 <p>Bouchon / Plug #6207 1/2"-20 Chrysler, Cherokee</p>	 <p>Bouchon / Plug #6209 M12-1.75 Ford</p>	 <p>Bouchon / Plug #6212 M14-1.5 Chrysler</p>	 <p>Bouchon / Plug #6208 M12-1.75 Joint caoutchouc / Gasket #3953 GM</p>	 <p>Bouchon / Plug #6210 M12-1.75 Joint caoutchouc / Gasket #3953 GM Tête large</p>
 <p>Bouchon / Plug #6119 M12-1.5 Joint nylon / Gasket #6139 BMW</p>	 <p>M12 Joint / Gasket #3950 GM</p>	 <p>M14 Joint / Gasket #3952 Chrysler</p>	 <p>M12 Joint cuivre / Gasket #4248 Nissan</p>	 <p>M14 Joint cuivre / Gasket #25586 Volkswagon</p>	 <p>M18 Joint cuivre / Gasket #25592 Mazda, Mercedes</p>



## ASSORTIMENTS DE JOINTS ET BOUCHONS DE VIDANGES D'HUILE

<div style="background-color: black; color: white; padding: 5px; display: inline-block;">POUR AUTOMOBILE ET CAMION</div> COFFRET PLASTIQUE GRAND COFFRET ACIER					NUMÉRO D'ASSORTIMENT		
					ASF-2047PL ASF-2047	ASF-2048PL ASF-2048	ASF-2049PL
NUMÉRO	DESCRIPTION	DIMENSION	MATÉRIAUX	APPLICATION	QTE	QTE	QTE
1510	joint	1/2 x 3/4 x 3/32	nylon	Universel	16	-	25
3950	joint	12mm	acier+caout.	GM	10	5	-
3952	joint	14mm	acier+caout.	Chrysler	10	5	-
3953	joint	11mm x 22mm	caoutchouc	GM	4	-	-
4246	joint	14mm x 22mm	cuivre	Honda	5	-	-
4248	joint	12mm x 18mm x 2	cuivre	Nissan	14	-	-
5077	bouchon	M12 x 1,25	acier flange	Nissan	2	1	-
5078	bouchon	M12 x 1,75	acier flange	GM	6	-	6
5079	bouchon	1/2»-20	acier flange	GM	6	-	6
5686	bouchon	M14 x 1,50	acier flange	GM-Honda-Chry.	6	1	6
6077	bouchon	M14 x 1,50	acier flange	Honda	2	1	-
6119	bouchon	M12 x 1,50	acier	BMW	2	1	-
6139	joint	12mm x 22mm	cuivre	BMW	2	-	-
6203	bouchon	M12 x 1,75	acier flange	Saturn	2	1	-
6205	bouchon	M14 x 1,25	acier flange	Jeep	2	1	-
6207	bouchon	1/2»	acier flange	Chrysler truck	2	1	-
6208	bouchon	M12 x 1,75	acier flange	GM 2.2(4)-3.1(K)	4	2	-
6209	bouchon	M12 x 1,75	acier flange	Ford	2	1	-
6210	bouchon	M12 x 1,75	acier flange	GM 4,9	2	1	-
6212	bouchon	M14 x 1,50	acier flange	Chrysler 2.0-2.4-	2	1	-
6254	joint	11mm x 25mm	caoutchouc	Saturn	2	-	-
6297	joint	14mm x 24mm	nylon	Universel	14	6	10
6298	bouchon	12mm x 22mm	nylon	Universel	10	3	15
6300	bouchon	M11,8 x 1,25	acier flange	Nissan-Toyota	6	3	3
6301	joint	M11,8	nylon	Nissan-Toyota	6	3	6
6302	bouchon	M16.4 x 1,33mm	acier flange	Nissan	2	1	2
6303	joint	16.5mm x 27mm	nylon	Nissan	4	2	6
6304	bouchon	M20 x 1,5mm	acier flange	Honda-Subaru	2	1	2
6305	joint	20mm x 28mm	nylon	Honda-Subaru	4	1	6
6306	bouchon	M18 x 1,5	acier flange	Chrysler-Toyota	2	1	2
6307	joint	18mm x 29mm	nylon	Chrysler-Toyota	4	2	6
6501	bouchon	M14 x 1,5	acier	Volkswagon	2	-	-
25586	joint	14mm x 20mm x 2	cuivre	Volkswagon	14	-	-
25592	joint	16mm x 22mm x 2	cuivre	Mazda-Toyota	4	-	-
5079A	bouchon	1/2» -20 standard	acier	Universel	3	-	3
<b>TOTAL DES PIÈCES PAR ASSORTIMENT:</b>					<b>185</b>	<b>46</b>	<b>114</b>



**CONTACTEZ-NOUS  
GET IN TOUCH**

**1 800 463-5259**

**info@prdistribution.ca**

**Notre service, toujours en tête.<sup>MD</sup> Our service, one step ahead.<sup>TM</sup>**

prdistribution.ca

1 800 463-5259  
info@prdistribution.ca

Siège social • Head Office

6500, rue Zéphirin-Paquet  
Québec QC G2C 0M3  
T 418 872-6018 F 418 872-6583

Succursale • Branch

1100, rue de la Manic  
Saguenay QC G7K 1A2  
T 418 545-1100 F 418 545-1104

